

View Online at <https://aerobasegroup.com/nsn/6625-00-214-1807>

Overall Length:

13.500 inches

Overall Height:

7.500 inches

Overall Width:

9.750 inches

Current Type:

Ac

Frequency Rating:

Between 50.0 hertz and 60.0 hertz

Accessory Components And Quantity:

Set instructions 1; set leads, test 1

Voltage Rating:

Between 105.0 volts and 125.0 volts

Beam Quantity:

1

Mounting Method:

Portable case

Screen Size:

3.000 in.

Sweep Circuits:

Included

Generator Driven Feature:

Not included

Sweep Frequency Range:

+15.000/+30000.000 hertz

Trigger Sweep Polarity Switch:

Included

Amplifier Deflection Sensitivity Provision:

Provided

Vertical Deflection Sensitivity Voltage Rating:

30.0 millivolts rms per inch

Horizontal Deflection Sensitivity Voltage Rating:

600.0 millivolts any acceptable outside diameter

Input Intensity Modulation Feature:

Not provided

Plate Direct Connection Deflection Sensitivity Provision:

Provided

Direct Connection Vertical Deflection Sensitivity Voltage Rating:

85.0 millivolts any acceptable outside diameter

Direct Connection Horizontal Deflection Sensitivity Voltage Rating:

1.7 volts rms per inch

Frequency Response Rating:

Provided

X-axis Frequency Response Rating:

Between 0.0 kilohertz and 500.0 kilohertz

Y-axis Frequency Response Rating:

Between 0.0 kilohertz and 500.0 kilohertz

Amplifier Input Impedance Rating Provision:

Provided

X-axis Input Impedance Rating:

1.0 megohms

Y-axis Input Impedance Rating:

1.0 megohms

Calibrated Screen Scale:

Not included

Trace Storage Tube:

Not included

Camera Recording Device Accommodation:

Not provided

Phase:

Single

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

T320-g