NSN 6625-00-228-2201

Oscilloscope - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-228-2201

View Online at https://aerobasegroup.com/nsn/6625-00-228-2201
Overall Length:
23.500 inches
Overall Height:
12.000 inches
Overall Width:
9.375 inches
Current Type:
Ac
Frequency Rating:
50.0 hertz and 60.0 hertz and 400.0 hertz
Joint Electronics Type Designation System Item Name:
Oscilloscope
Joint Electronics Type Designation System Item Type Number:
Type an/usm-281a
Accessory Components And Quantity:
Adapter 6; cable rf coaxial 2; front cover 1; probe 2; tee connector 2
Voltage Rating:
115.0 volts
Beam Quantity:
1
Mounting Method:
Table
Screen Size:
5 in. Screen
Sweep Circuits:
Included
Generator Driven Feature:
Included
Sweep Circuit Type:
Horizontal
Sweep Frequency Range:
+0.050/+200.000 kilohertz
Single Trigger Sweep Duration:
Between 0.1 seconds and 20.0 seconds
Trigger Sweep Voltage Amplitude Rating:
Between 0.5 volts and 200.0 volts
Trigger Sweep Polarity Switch:
Included
Trigger Sweep Marker Intervals:
Not indicated on screen
Expanded Sweep:
Provided

NSN 6625-00-228-2201

Oscilloscope - Page 2 of 2



Amplifier Deflection Sensitivity Provision: Provided Vertical Deflection Sensitivity Voltage Rating: 5.0 millivolts rms per centimeter and 20000.0 millivolts rms per centimeter Horizontal Deflection Sensitivity Voltage Rating: 0.1 volts cw minor and 1.0 volts peak minor **Input Intensity Modulation Feature:** Provided **Visual Modulation Sensitivity Voltage Rating:** 0.2 volts Visual Blanking Sensitivity Voltage Rating: 2.0 volts Plate Direct Connection Deflection Sensitivity Provision: Provided **Direct Connection Vertical Deflection Sensitivity Voltage Rating:** 3.0 volts any acceptable minor Frequency Response Rating: Not provided **Amplifier Input Impedance Rating Provision:** Not provided **Calibrated Screen Scale:** Included Trace Storage Tube: Not included **Camera Recording Device Accommodation:** Provided Phase: Single Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** Yes - demil/mli Fiig: T320-g