## NSN 6625-00-255-5806

Voltmeter - Page 1 of 2

Dc

Overall Length: 2.285 inches

0.150 inches

**Mounting Hole Diameter:** 

**Scale Division Quantity:** 

**Overall Diameter:** 

50 single indicator single range

**Circuit Current For Which Designed:** 



View Online at https://aerobasegroup.com/nsn/6625-00-255-5806

| 3.500 inches  |
|---|
| Mounting Bolt Circle Diameter:                          |
| 3.160 inches  |
| Indicator Type:   |
| Dial w/pointer  |
| Installation Design:                                    |
| Panel   |
| Mounting Arrangement Style:                             |
| Three hole/stud bolt circle                             |
| Sensitivity Rating:                                     |
| 100.0 ohms per volt                                     |
| Dial Scale Marking Color:                               |
| Black single indicator single range                     |
| Accuracy In Percent:                                    |
| -2.0 to 2.0 at full scale single indicator single range |
| Meter Depth Behind Mounting Flange:                     |
| 1.660 inches  |
| Meter Body Diameter Behind Mounting Flange:             |
| 2.800 inches  |
| Movement Type:  |
| Moving coil, permanent magnet                           |
| Background Color:                                       |
| White single indicator single range                     |
| Pointer Color:  |
| Black single indicator single range                     |
| Mounting Facility Type And Quantity:                    |
| 3 unthreaded hole                                       |
| Scale Graduation Type:                                  |
| Linear single indicator single range                    |
| Measurement Range:                                      |
| -25.0 to 25.0 volts, dc single indicator single range   |
| Features Provided:                                      |
|   |

## NSN 6625-00-255-5806

Voltmeter - Page 2 of 2



| <b>Movement Suspension Method:</b>      |
|---|
| Jewel pivot base                        |
| Circuit Attachment Method And Quantity: |
| 2 threaded stud                         |
| Material:                               |
| Plastic                                 |
| Nuclear Hardness Critical Feature:      |
| Nonhardened                             |
| Style Designator:                       |
| Round flush mtg                         |
| Fsc Application Data:                   |
| Test set, elect. Equip.                 |
| Shelf Life:                             |
| N/a                                     |
| Unit Of Measure:                        |
|   |
| Demilitarization:                       |
| No                                      |
| Fiig:                                   |
| A310a0                                  |