

View Online at <https://aerobasegroup.com/nsn/6625-00-319-3003>

**Circuit Current For Which Designed:**

Dc

**Dielectric Withstanding Voltage In Volts:**

4000.0

**Overall Length:**

3.180 inches

**Overall Height:**

1.010 inches

**Overall Width:**

3.320 inches

**Mounting Hole Diameter:**

0.138 inches

**Scale Division Quantity:**

50 single indicator single range

**Distance Between Mounting Facility Centers:**

2.940 inches

**Barrel Width:**

1.500 inches

**Furnished Items And Quantity:**

Washer 4; nut 4

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Two hole/stud

**Sensitivity Rating:**

100.0 milliamperes

**Dial Scale Marking Color:**

Black single indicator single range

**Accuracy In Percent:**

-2.0/+2.0 at full scale single indicator single range

**Unable To Decode:**

Unable to decode or unable to decode

**Meter Depth Behind Mounting Flange:**

2.961 inches

**Meter Body Width Behind Mounting Flange:**

2.500 inches

**Background Color:**

White single indicator single range

**Pointer Color:**

Black single indicator single range

**Power Source:**

External

**Mounting Facility Type And Quantity:**

1 bezel and 1 bracket and 2 screw and 2 unthreaded hole

**Scale Graduation Type:**

Linear single indicator single range

**Measurement Range:**

+0.0/+100.0 milliamperes, dc single indicator single range

**Scale Selection Method:**

Terminal

**Meter Body Height Behind Mounting Flange:**

1.340 inches

**Meter Barrel Depth:**

1.630 inches

**Features Provided:**

Zero adjuster

**Circuit Attachment Method And Quantity:**

2 threaded stud

**Special Features:**

Clear body

**Material:**

Plastic

**Nuclear Hardness Critical Feature:**

Nonhardened

**Style Designator:**

Rectangular flush mtg barrel, right

**Fsc Application Data:**

Electrical and electronic properties measuring and testing instruments

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A310a0