# NSN 6625-00-347-3803

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-347-3803

# Circuit Current For Which Designed:

Dc

### **Overall Length:**

2.350 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

3.562 inches

### Center To Center Distance Between Mounting Facilities Parallel To Width:

4.000 inches

#### **Overall Height:**

4.410 inches

#### **Overall Width:**

4.850 inches

#### Mounting Stud Length:

0.500 inches

#### End Application:

Generator, hydrogen, electrolytic, stuart m-28

#### Installation Design:

Panel

### Mounting Arrangement Style:

Four hole/stud rectangular/square

### **Dial Scale Marking Color:**

Black single indicator single range

### Accuracy In Percent:

-2.0/+2.0 at full scale single indicator single range

### Meter Depth Behind Mounting Flange:

1.850 inches

### Meter Body Diameter Behind Mounting Flange:

2.670 inches

### Movement Type:

Moving iron vane

### **Background Color:**

White single indicator single range

### Mounting Facility Type And Quantity:

4 threaded stud

### Measurement Range:

+0.0/+300.0 amperes, dc single indicator single range

### Mounting Stud Diameter:

0.112 inches

#### **Features Provided:**

Zero adjuster

#### **Movement Suspension Method:**

Jewel pivot base

# NSN 6625-00-347-3803

Ammeter - Page 2 of 2



# **Circuit Attachment Method And Quantity:**

2 threaded stud

# Style Designator:

Rectangular flush mtg

Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A310a0