

View Online at <https://aerobasegroup.com/nsn/6625-00-384-8509>

Circuit Current For Which Designed:

Dc

Overall Length:

1.479 inches

Mounting Hole Diameter:

Between 0.144 inches and 0.175 inches

Scale Division Quantity:

12 single indicator single range

Overall Diameter:

Between 2.625 inches and 2.656 inches

Mounting Bolt Circle Diameter:

2.374 inches

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Three hole/stud bolt circle

Sensitivity Rating:

46.0 millivolts

Dial Scale Marking Color:

White single indicator single range

Accuracy In Percent:

-8.0/+8.0 at full scale single indicator single range

Meter Depth Behind Mounting Flange:

Between 0.656 inches and 0.979 inches

Meter Body Diameter Behind Mounting Flange:

Between 1.954 inches and 2.037 inches

Movement Type:

Moving coil, permanent magnet

Background Color:

Black single indicator single range

Pointer Color:

White single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

3 unthreaded hole

Scale Graduation Type:

Linear single indicator single range

Measurement Range:

-30.0/+30.0 amperes, dc single indicator single range

Scale Selection Method:

Terminal

Features Provided:

Zero adjuster

Movement Suspension Method:

Jewel pivot base

Circuit Attachment Method And Quantity:

2 threaded stud

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Round flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A310a0