

View Online at <https://aerobasegroup.com/nsn/6625-00-396-3107>

Circuit Current For Which Designed:

Dc

Dielectric Withstanding Voltage In Volts:

500.0

Overall Length:

1.700 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.708 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.708 inches

Overall Height:

Between 0.865 inches and 0.885 inches

Overall Width:

Between 0.865 inches and 0.885 inches

Mounting Hole Diameter:

0.086 inches

Scale Division Quantity:

2 single indicator single range

Environmental Protection:

Cold resistant and dust resistant and heat resistant and humidity proof and shock resistant and vibration resistant

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Four hole/stud rectangular/square

Sensitivity Rating:

500.0 microamperes

Dial Scale Marking Color:

White single indicator single range

Accuracy In Percent:

-2.0 to 2.0 at full scale single indicator single range

Unable To Decode:

Unable to decode or unable to decode

Meter Depth Behind Mounting Flange:

1.395 inches

Meter Body Diameter Behind Mounting Flange:

0.865 inches

Movement Type:

Moving coil, permanent magnet

Background Color:

Black, dull single indicator single range

Pointer Color:

White single indicator single range

Scale Marking:

3 blocks

Mounting Facility Type And Quantity:

4 unthreaded hole

Scale Graduation Type:

Linear single indicator single range

Circuit Attachment Method And Quantity:

2 solder lug

Special Features:

Ruggedized

Special Markings:

One block center scale, one block 45 degrees left center, one block 45 degrees right center; red dot adjacent to positive terminal

Material:

Copper alloy

Nuclear Hardness Critical Feature:

Nonhardened

Surface Treatment:

Paint lusterless

Special Test Features:

Environmental per mil-m-10304c

Style Designator:

Rectangular flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A310a0