## NSN 6625-00-403-1750

Voltmeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-403-1750

| Circuit Current For Which Designed:                                       |
|---|
| Ac  |
| Overall Length:   |
| 2.656 inches  |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 2.376 inches  |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 2.376 inches  |
| Overall Height:   |
| 4.500 inches  |
| Overall Width:  |
| 4.500 inches  |
| Scale Division Quantity:  |
| 26 single indicator single range  |
| Mounting Stud Length:   |
| 0.938 inches  |
| Indicator Type:   |
| Dial w/pointer  |
| Installation Design:  |
| Panel   |
| Mounting Arrangement Style:   |
| Four hole/stud rectangular/square   |
| Dial Scale Marking Color:   |
| Black single indicator single range                                       |
| Accuracy In Percent:  |
| -2.0 to 2.0 at full scale single indicator single range                   |
| Movement Type:  |
| Moving coil, permanent magnet   |
| Background Color:   |
| White single indicator single range                                       |
| Pointer Color:  |
| Black single indicator single range                                       |
| Mounting Facility Type And Quantity:                                      |
| 4 threaded stud   |
| Scale Graduation Type:  |
| Linear single indicator single range                                      |
| Measurement Range:  |
| +0.0 to 3000.0 volts, ac single indicator single range                    |
| Mounting Stud Diameter:   |
| 0.250 inches  |

Zero adjuster

**Features Provided:** 

## NSN 6625-00-403-1750

Voltmeter - Page 2 of 2



## Movement Suspension Method: Jewel pivot base Circuit Attachment Method And Quantity: 2 threaded stud Nuclear Hardness Critical Feature: Nonhardened Style Designator: Rectangular surface mtg Fsc Application Data: Test set, elect. Equip. Shelf Life: N/a Unit Of Measure: --Demilitarization:

No Fiig: A310a0