NSN 6625-00-404-6582

Multiple Scale Meter - Page 1 of 2

Circuit Current For Which Designed:

Nonlinear single indicator 1st range



View Online at https://aerobasegroup.com/nsn/6625-00-404-6582

DC .
Overall Length:
2.550 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.250 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.250 inches
Overall Height:
3.000 inches
Overall Width:
3.000 inches
Mounting Hole Diameter:
0.138 inches
Scale Division Quantity:
60 single indicator 3rd range
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Sensitivity Rating:
100.0 microamperes
Dial Scale Marking Color:
Black single indicator all ranges
Accuracy In Percent:
-2.0 to 2.0 at full scale single indicator all ranges
Meter Depth Behind Mounting Flange:
0.870 inches
Meter Body Diameter Behind Mounting Flange:
2.720 inches
Background Color:
White single indicator all ranges
Pointer Color:
Black single indicator all ranges
Power Source:
External
Mounting Facility Type And Quantity:
4 threaded hole
Scale Graduation Type:

NSN 6625-00-404-6582

Multiple Scale Meter - Page 2 of 2



Measurement Range:
+0.0 to 600.0 volts, dc single indicator 3rd range
Features Provided:
Zero adjuster
Circuit Attachment Method And Quantity:
2 solder lug
Special Features:
Requires ext multipliers
Material:
Plastic
Nuclear Hardness Critical Feature:
Nonhardened
Style Designator:
Rectangular semi-flush mtg
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

Fiig: A310a0