## NSN 6625-00-410-0214

Multimeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-410-0214

Circuit Correct For Which Decimands
Circuit Current For Which Designed:
Dc
Dielectric Withstanding Voltage In Volts:
1500.0
Overall Length:
2.406 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.906 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.906 inches
Overall Height:
2.750 inches
Overall Width:
2.750 inches
Mounting Hole Diameter:
0.125 inches
Scale Division Quantity:
30 single indicator all ranges
Environmental Protection:
Airtight and dust resistant and fungus resistant and heat resistant and humidity resistant and shock resistant and vibration resistant and
water resistant
Furnished Items And Quantity:
Nut 8; lockwasher 8; switch 1
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Sensitivity Rating:
100.0 ohms per volt
Dial Scale Marking Color:
White single indicator all ranges
Accuracy In Percent:
-2.0 to 2.0 at full scale single indicator all ranges
Meter Depth Behind Mounting Flange:
1.750 inches
Meter Body Diameter Behind Mounting Flange:
2.290 inches
Movement Type:
Moving coil, permanent magnet

Black single indicator all ranges

**Background Color:** 

## **NSN 6625-00-410-0214**Multimeter - Page 2 of 2



Pointer Color:
White single indicator all ranges
Power Source:
External
Mounting Facility Type And Quantity:
4 screw and 4 unthreaded hole
Scale Graduation Type:
Linear single indicator all ranges
Measurement Range:
+0.0 to 30.0 volts, dc single indicator 2nd range
Scale Selection Method:
Switch
Features Provided:
External shunting and zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
4 threaded stud
Special Features:
Ruggedized
Special Markings:
On back, sealed do not open
Material:
Steel
Nuclear Hardness Critical Feature:
Nonhardened
Surface Treatment:
Paint
Style Designator:
Rectangular flush mtg
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0