

View Online at <https://aerobasegroup.com/nsn/6625-00-422-2691>

**Circuit Current For Which Designed:**

Ac or dc

**Overall Length:**

8.750 inches

**Overall Height:**

6.062 inches

**Overall Width:**

5.125 inches

**Scale Division Quantity:**

64 single indicator 4th range

**Frequency Rating:**

Between 48.0 hertz and 440.0 hertz

**Furnished Items And Quantity:**

Power cord 1

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Bench

**Frequency Response Range:**

+0.010 to 1000.000 kilohertz

**Dial Scale Marking Color:**

Black single indicator all ranges

**Accuracy In Percent:**

-2.0 to 2.0 at full scale single indicator all ranges

**Background Color:**

White single indicator all ranges

**Pointer Color:**

Red single indicator all ranges

**Power Source:**

External or internal

**Scale Graduation Type:**

Nonlinear single indicator 2nd range

**Measurement Range:**

-10.0 to 0.0 decibels above or below one milliwatt single indicator 1st range

**Scale Selection Method:**

Switch

**Features Provided:**

Internal battery accommodation and knife edge pointer and mirror scale and portable and zero adjuster

**Circuit Attachment Method And Quantity:**

3 banana jack

**Operating Voltage Rating In Volts:**

115.0 ac and 230.0 ac and 22.5 dc

**Special Features:**

Two knobs; three slide switches; one chassis ground terminal; one line selector; one battery line

**Special Markings:**

Range: ac only; 0.01, 0.03; 0.1, 0.3, 1.0, 3.0, 10.0, 30.0, 100.0, 300.0; dc only; 1000.0; range: x10, x100, x1k, x10k, x100k, x1m, x10m;  
function: off, batt 1.5 min, dcv +, dcv -, ohm, acv

**Material:**

Aluminum and plastic

**Nuclear Hardness Critical Feature:**

Nonhardened

**Style Designator:**

Rectangular or square

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A310a0