NSN 6625-00-432-7539

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-432-7539

| Circuit Current For Which Designed: |
|---|
| Dc |
| Dielectric Withstanding Voltage In Volts: |
| 5000.0 |
| Overall Length: |
| 2.156 inches |
| Overall Height: |
| 3.000 inches |
| Overall Width: |
| 3.031 inches |
| Mounting Hole Diameter: |
| 0.375 inches |
| Scale Division Quantity: |
| 20 single indicator single range |
| Environmental Protection: |
| Dust resistant |
| Distance Between Mounting Facility Centers: |
| 1.406 inches |
| Indicator Type: |
| Dial w/pointer |
| Installation Design: |
| Panel |
| Mounting Arrangement Style: |
| Two hole/stud |
| Dial Scale Marking Color: |
| White single indicator single range |
| Accuracy In Percent: |
| -2.0/+2.0 at full scale single indicator single range |
| Meter Depth Behind Mounting Flange: |
| 1.531 inches |
| |
| Meter Body Diameter Behind Mounting Flange: |
| Meter Body Diameter Behind Mounting Flange: 2.240 inches |
| |
| 2.240 inches |
| 2.240 inches Movement Type: |
| 2.240 inches Movement Type: Moving coil, permanent magnet |
| 2.240 inches Movement Type: Moving coil, permanent magnet Background Color: |
| 2.240 inches Movement Type: Moving coil, permanent magnet Background Color: Black single indicator single range |
| 2.240 inches Movement Type: Moving coil, permanent magnet Background Color: Black single indicator single range Pointer Color: |
| 2.240 inches Movement Type: Moving coil, permanent magnet Background Color: Black single indicator single range Pointer Color: Black single indicator single range |
| 2.240 inches Movement Type: Moving coil, permanent magnet Background Color: Black single indicator single range Pointer Color: Black single indicator single range Power Source: |

NSN 6625-00-432-7539

Ammeter - Page 2 of 2



| Scale Graduation Type: |
|--|
| Linear single indicator single range |
| Measurement Range: |
| +0.0/+20.0 amperes, dc single indicator single range |
| Scale Selection Method: |
| Terminal |
| Movement Suspension Method: |
| Jewel pivot base |
| Circuit Attachment Method And Quantity: |
| 2 threaded stud |
| Material: |
| Aluminum |
| Nuclear Hardness Critical Feature: |
| Nonhardened |
| Surface Treatment: |
| Paint lusterless |
| Style Designator: |
| Rectangular flush mtg |
| Fsc Application Data: |
| Test set, electronic equipment |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A310a0 |
| |