NSN 6625-00-432-8601

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-432-8601

Circuit Current For Which Designed:
Dc
Dielectric Withstanding Voltage In Volts:
1500.0
Overall Length:
1.950 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
4.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.560 inches
Overall Height:
4.270 inches
Overall Width:
4.710 inches
Mounting Hole Diameter:
0.125 inches
Scale Division Quantity:
25 single indicator single range
Indicator Type:
Dial w/pointer
Installation Decima
Installation Design:
Panel
-
Panel
Panel Mounting Arrangement Style:
Panel Mounting Arrangement Style: Four hole/stud rectangular/square
Panel Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color:
Panel Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range
Panel Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent:
Panel Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range
Panel Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange:
Panel Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.190 inches
Panel Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.190 inches Meter Body Diameter Behind Mounting Flange:
Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.190 inches Meter Body Diameter Behind Mounting Flange: 2.790 inches
Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.190 inches Meter Body Diameter Behind Mounting Flange: 2.790 inches Movement Type:
Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.190 inches Meter Body Diameter Behind Mounting Flange: 2.790 inches Movement Type: Moving coil, permanent magnet and moving iron vane
Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.190 inches Meter Body Diameter Behind Mounting Flange: 2.790 inches Movement Type: Moving coil, permanent magnet and moving iron vane Background Color:
Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.190 inches Meter Body Diameter Behind Mounting Flange: 2.790 inches Movement Type: Moving coil, permanent magnet and moving iron vane Background Color: White single indicator single range
Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.190 inches Meter Body Diameter Behind Mounting Flange: 2.790 inches Movement Type: Moving coil, permanent magnet and moving iron vane Background Color: White single indicator single range Pointer Color:
Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.190 inches Meter Body Diameter Behind Mounting Flange: 2.790 inches Movement Type: Moving coil, permanent magnet and moving iron vane Background Color: White single indicator single range Pointer Color: Black single indicator single range

4 unthreaded hole

NSN 6625-00-432-8601

Ammeter - Page 2 of 2



Scale Graduation Type:
Linear single indicator single range
Measurement Range:
+0.0/+1.0 milliamperes, dc single indicator single range
Scale Selection Method:
Terminal
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 threaded stud
Material:
Plastic phenolic
Nuclear Hardness Critical Feature:
Nonhardened
Surface Treatment:
Enamel
Style Designator:
Rectangular flush mtg
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0