## NSN 6625-00-434-1905

Voltmeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-434-1905

Circuit Current For Which Designed:
Dc
Overall Length:
1.625 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.312 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.312 inches
Overall Height:
1.800 inches
Overall Width:
1.800 inches
Mounting Hole Diameter:
0.125 inches
Scale Division Quantity:
30 single indicator single range
Environmental Protection:
Dustproof
Indicator Type:
Dial w/pointer
Installation Design:
_
Panel
-
Panel
Panel  Mounting Arrangement Style:
Panel  Mounting Arrangement Style:  Four hole/stud rectangular/square
Panel  Mounting Arrangement Style:  Four hole/stud rectangular/square  Dial Scale Marking Color:
Panel  Mounting Arrangement Style: Four hole/stud rectangular/square  Dial Scale Marking Color:  Black single indicator single range
Panel  Mounting Arrangement Style: Four hole/stud rectangular/square  Dial Scale Marking Color:  Black single indicator single range  Accuracy In Percent:
Panel  Mounting Arrangement Style: Four hole/stud rectangular/square  Dial Scale Marking Color: Black single indicator single range  Accuracy In Percent: -3.0/+3.0 at full scale single indicator single range
Panel  Mounting Arrangement Style: Four hole/stud rectangular/square  Dial Scale Marking Color: Black single indicator single range  Accuracy In Percent: -3.0/+3.0 at full scale single indicator single range  Meter Depth Behind Mounting Flange:
Panel  Mounting Arrangement Style: Four hole/stud rectangular/square  Dial Scale Marking Color: Black single indicator single range  Accuracy In Percent: -3.0/+3.0 at full scale single indicator single range  Meter Depth Behind Mounting Flange:  1.250 inches
Panel  Mounting Arrangement Style: Four hole/stud rectangular/square  Dial Scale Marking Color: Black single indicator single range  Accuracy In Percent: -3.0/+3.0 at full scale single indicator single range  Meter Depth Behind Mounting Flange:  1.250 inches  Meter Body Diameter Behind Mounting Flange:
Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.250 inches Meter Body Diameter Behind Mounting Flange: 1.510 inches
Mounting Arrangement Style: Four hole/stud rectangular/square  Dial Scale Marking Color: Black single indicator single range  Accuracy In Percent: -3.0/+3.0 at full scale single indicator single range  Meter Depth Behind Mounting Flange: 1.250 inches  Meter Body Diameter Behind Mounting Flange: 1.510 inches  Movement Type:
Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.250 inches Meter Body Diameter Behind Mounting Flange: 1.510 inches Movement Type: Moving coil, permanent magnet
Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.250 inches Meter Body Diameter Behind Mounting Flange: 1.510 inches Movement Type: Moving coil, permanent magnet Background Color:
Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.250 inches Meter Body Diameter Behind Mounting Flange: 1.510 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range
Mounting Arrangement Style: Four hole/stud rectangular/square Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.250 inches Meter Body Diameter Behind Mounting Flange: 1.510 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Pointer Color:

Scale Graduation Type:
Linear single indicator single range

## **NSN 6625-00-434-1905** Voltmeter - Page 2 of 2



Measurement Range:
+0.0/+300.0 volts, dc single indicator single range
Scale Selection Method:
Switch
Features Provided:
Magnetic shield
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 solder lug
Material:
Steel
Style Designator:
Rectangular flush mtg
Test Data Document:
81349-mil-m-10304 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specificatio
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-m-10304/21 government specification
Fsc Application Data:
Test set electronic
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
Yes - demil/mli
Fiig:
A310a0