

View Online at <https://aerobasegroup.com/nsn/6625-00-438-1521>

Circuit Current For Which Designed:

Dc

Dielectric Withstanding Voltage In Volts:

1000.0

Overall Length:

1.251 inches

Scale Division Quantity:

12 single indicator single range

Overall Diameter:

1.300 inches

Environmental Protection:

Shock resistant and vibration resistant

Furnished Items And Quantity:

O ring 1

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Sensitivity Rating:

50.0 microamperes

Dial Scale Marking Color:

Black single indicator single range

Accuracy In Percent:

-3.0 to 3.0 at full scale single indicator single range

Meter Depth Behind Mounting Flange:

0.901 inches

Meter Body Diameter Behind Mounting Flange:

Between 0.985 inches and 1.000 inches

Background Color:

White single indicator single range

Pointer Color:

Black single indicator single range

Scale Marking:

P min

Mounting Facility Type And Quantity:

1 threaded body and 1 threaded ring

Scale Graduation Type:

Linear single indicator single range

Features Provided:

Magnetic shield

Circuit Attachment Method And Quantity:

2 solder lug

Special Features:

20 ko res

Material:

Steel

Nuclear Hardness Critical Feature:

Nonhardened

Surface Treatment:

Enamel

Special Test Features:

Conforms to mil-m-10304/30, type mr05w050dcuar

Style Designator:

Round flush mtg

Supplementary Features:

Ruggedized

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A310a0