## NSN 6625-00-447-9517

Null Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-447-9517

## **Circuit Current For Which Designed:** Dc **Overall Length:** 2.345 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 2.250 inches Center To Center Distance Between Mounting Facilities Parallel To Width: 2.250 inches **Overall Height:** 3.062 inches **Overall Width:** 3.375 inches Scale Division Quantity: 50 single indicator single range **Mounting Stud Length:** 0.625 inches **Indicator Type:** Dial w/pointer Installation Design: Panel **Mounting Arrangement Style:** Four hole/stud rectangular/square **Sensitivity Rating:** 500.0 milliamperes **Dial Scale Marking Color:** Black single indicator single range Accuracy In Percent: -2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 1.094 inches Meter Body Diameter Behind Mounting Flange: 2.750 inches Movement Type: Moving coil, permanent magnet **Background Color:** White single indicator single range **Pointer Color:** Black single indicator single range Mounting Facility Type And Quantity: 4 threaded stud Scale Graduation Type:

Linear single indicator single range

## NSN 6625-00-447-9517

Null Meter - Page 2 of 2



Mounting Stud Diameter: 0.112 inches **Features Provided:** Zero adjuster **Movement Suspension Method:** Jewel pivot base **Circuit Attachment Method And Quantity:** 2 threaded stud Material: Plastic **Nuclear Hardness Critical Feature:** Nonhardened Style Designator: Rectangular flush mtg **Fsc Application Data:** Test set, elect. Equip. Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A310a0