## NSN 6625-00-449-7652



Oscilloscope - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/6625-00-449-7652 **Overall Length:** 20.500 inches **Overall Height:** 7.000 inches **Overall Width:** 19.000 inches **Current Type:** Ac Frequency Rating: Between 48.0 hertz and 66.0 hertz **Accessory Components And Quantity:** Adapter connector 2; lead electrical 1; manuel technical 2 Voltage Rating: Between 90.0 volts and 272.0 volts **Beam Quantity: Graduation Interval:** Graduated in v/div on y axis; graduated in time/div on x asis **Mounting Method:** Rack **Accuracy Range In Percent:** -1.5/+1.5 Screen Size: 5.000 in. **Sweep Circuits:** Not included **Generator Driven Feature:** Not included **Amplifier Deflection Sensitivity Provision:** Not provided **Input Intensity Modulation Feature:** Not provided **Plate Direct Connection Deflection Sensitivity Provision:** Not provided Frequency Response Rating: Not provided **Amplifier Input Impedance Rating Provision:** 

## Not provided

**Amplitude Calibrating Voltage Waveform:** 

Square wave

Calibrating Peak To Peak Amplitude:

40.0 millivolts and 40000.0 millivolts

## NSN 6625-00-449-7652

Oscilloscope - Page 2 of 2



Measurement Range Quantity:
5
Measurement Range Steps:
4 to 400 mv per cm and 4 to 4v per cm
Calibrated Screen Scale:
Included
Trace Storage Tube:
Not included
Plug In Unit Function And Quantity:
Plug in unit type
Camera Recording Device Accommodation:
Provided
Phase:
Single
Fsc Application Data:
Oscilloscopes, except specially designed
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T320-g