

View Online at <https://aerobasegroup.com/nsn/6625-00-463-4368>

Circuit Current For Which Designed:

Dc

Dielectric Withstanding Voltage In Volts:

1200.0

Overall Length:

6.793 inches

Overall Height:

2.166 inches

Overall Width:

6.035 inches

Scale Division Quantity:

50 single indicator single range

Environmental Protection:

Fire resistant and shock resistant and vibration resistant

Furnished Items And Quantity:

Nut 6

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Dial Scale Marking Color:

Black single indicator single range

Accuracy In Percent:

-1.5/+1.5 at full scale single indicator single range

Unable To Decode:

Unable to decode or unable to decode

Meter Depth Behind Mounting Flange:

5.030 inches

Meter Body Width Behind Mounting Flange:

5.664 inches

Movement Type:

Moving coil, permanent magnet

Background Color:

White single indicator single range

Pointer Color:

Black single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

2 bracket and 2 screw

Scale Graduation Type:

Linear single indicator single range

Measurement Range:

+0.0/+500.0 microamperes, dc single indicator single range

Meter Body Height Behind Mounting Flange:

1.770 inches

Features Provided:

Magnetic shield and zero adjuster

Movement Suspension Method:

Taut band

Circuit Attachment Method And Quantity:

2 threaded stud

Special Features:

Ruggedized

Material:

Plastic polycarbonate

Nuclear Hardness Critical Feature:

Nonhardened

Surface Treatment:

Paint

Style Designator:

Rectangular flush mtg

Supplementary Features:

Vert mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiiig:

A310a0