NSN 6625-00-472-7853

Special Scale Meter - Page 1 of 2

Circuit Current For Which Designed:

Dc

Overall Length:



View Online at https://aerobasegroup.com/nsn/6625-00-472-7853

2.820 inches
Mounting Hole Diameter:
0.150 inches
Scale Division Quantity:
100 single indicator single range
Overall Diameter:
3.510 inches
Environmental Protection:
Shock resistant and vibration resistant
Mounting Bolt Circle Diameter:
3.160 inches
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Sensitivity Rating:
200.0 microamperes
Dial Scale Marking Color:
S .
Black single indicator single range
·
Black single indicator single range
Black single indicator single range Accuracy In Percent:
Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range
Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange:
Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 2.420 inches
Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 2.420 inches Meter Body Diameter Behind Mounting Flange:
Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 2.420 inches Meter Body Diameter Behind Mounting Flange: 2.800 inches
Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 2.420 inches Meter Body Diameter Behind Mounting Flange: 2.800 inches Movement Type:
Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 2.420 inches Meter Body Diameter Behind Mounting Flange: 2.800 inches Movement Type: Moving coil, permanent magnet
Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 2.420 inches Meter Body Diameter Behind Mounting Flange: 2.800 inches Movement Type: Moving coil, permanent magnet Background Color:
Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 2.420 inches Meter Body Diameter Behind Mounting Flange: 2.800 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range
Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 2.420 inches Meter Body Diameter Behind Mounting Flange: 2.800 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Pointer Color:
Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 2.420 inches Meter Body Diameter Behind Mounting Flange: 2.800 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Pointer Color: Black single indicator single range
Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 2.420 inches Meter Body Diameter Behind Mounting Flange: 2.800 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Pointer Color: Black single indicator single range Scale Marking:
Black single indicator single range Accuracy In Percent: -2.0/+2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 2.420 inches Meter Body Diameter Behind Mounting Flange: 2.800 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Pointer Color: Black single indicator single range Scale Marking: 0; 5; 10; 15; 20; feet

Linear single indicator single range

NSN 6625-00-472-7853

Special Scale Meter - Page 2 of 2



Features Provided:	
Zero adjuster	
Movement Suspension Method:	
Jewel pivot base	
Circuit Attachment Method And Quantity:	
2 screw and 2 solder lug	
Special Features:	
Ruggedized	
Material:	
Steel	
Nuclear Hardness Critical Feature:	
Nonhardened	
Style Designator:	
Round flush mtg	
Fsc Application Data:	
Test set, elect. Equip.	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A310a0	