NSN 6625-00-477-4385

Null Meter - Page 1 of 2

Moving coil, permanent magnet



View Online at https://aerobasegroup.com/nsn/6625-00-477-4385

Circuit Current For Which Designed:
Dc
Dielectric Withstanding Voltage In Volts:
1500.0
Overall Length:
1.650 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.312 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.312 inches
Overall Height:
1.750 inches
Overall Width:
1.750 inches
Mounting Hole Diameter:
0.125 inches
Scale Division Quantity:
10 single indicator single range
Environmental Protection:
Shock resistant and vibration resistant
Furnished Items And Quantity:
Mtg hdw 4
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Sensitivity Rating:
100.0 microamperes
Dial Scale Marking Color:
Yellow, fluorescent single indicator single range
Accuracy In Percent:
-3.0 to 3.0 at full scale single indicator single range
Unable To Decode:
Unable to decode or unable to decode
Meter Depth Behind Mounting Flange:
1.000 inches
Meter Body Diameter Behind Mounting Flange:
1.510 inches
Movement Type:

NSN 6625-00-477-4385

Null Meter - Page 2 of 2



Background Color:
Black single indicator single range
Pointer Color:
Yellow, fluorescent single indicator single range
Scale Marking:
M 5; 0; 5
Mounting Facility Type And Quantity:
4 screw and 4 unthreaded hole
Scale Graduation Type:
Linear single indicator single range
Features Provided:
Zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 solderless lug
Special Features:
Ruggedized
Material:
Steel
Nuclear Hardness Critical Feature:
Nonhardened
Surface Treatment:
Enamel
Special Test Features:
Conforms to mil-m-10304/24, mr13f5t5specr
Style Designator:
Rectangular flush mtg
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0