

View Online at <https://aerobasegroup.com/nsn/6625-00-482-8636>

**Circuit Current For Which Designed:**

Dc

**Dielectric Withstanding Voltage In Volts:**

500.0

**Overall Length:**

4.280 inches

**Overall Height:**

Between 0.490 inches and 0.510 inches

**Overall Width:**

Between 3.990 inches and 4.010 inches

**Mounting Hole Diameter:**

Between 0.175 inches and 0.185 inches

**Distance Between Mounting Facility Centers:**

3.560 inches

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Two hole/stud

**Dial Scale Marking Color:**

Black single indicator single range

**Accuracy In Percent:**

-2.0/+2.0 at full scale single indicator single range

**Meter Depth Behind Mounting Flange:**

Between 3.400 inches and 3.700 inches

**Meter Body Width Behind Mounting Flange:**

Between 2.840 inches and 3.040 inches

**Movement Type:**

Moving coil, permanent magnet

**Background Color:**

White single indicator single range

**Pointer Color:**

Red single indicator single range

**Scale Marking:**

Opening; closing; 30, 20, 10, 5, 0, 5, 10, 20, 30

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Scale Graduation Type:**

Nonlinear single indicator single range

**Meter Body Height Behind Mounting Flange:**

Between 0.490 inches and 0.510 inches

**Features Provided:**

Self-illumination facility

**Movement Suspension Method:**

Jewel pivot base

**Circuit Attachment Method And Quantity:**

4 threaded stud

**Special Markings:**

Term. Marked 1, 2, +, -

**Material:**

Aluminum alloy

**Nuclear Hardness Critical Feature:**

Nonhardened

**Surface Treatment:**

Anodize

**Style Designator:**

Rectangular semi-flush mtg

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A310a0