## NSN 6625-00-495-9833

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-495-9833

View Online at https://aerobasegroup.com/nsn/6625-00-495-9833
Circuit Current For Which Designed:
Ac
Overall Length:
1.360 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.200 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.220 inches
Mounting Hole Diameter:
0.125 inches
Scale Division Quantity:
20 single indicator single range
Overall Diameter:
2.690 inches
Environmental Protection:
Dust resistant
Indicator Tuno:

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Four hole/stud rectangular/square

Frequency Response Range:

+0.000/+400.000 hertz

## Dial Scale Marking Color:

Black single indicator single range

Accuracy In Percent:

-2.0/+2.0 at full scale single indicator single range

## Meter Depth Behind Mounting Flange:

1.110 inches

Meter Body Diameter Behind Mounting Flange:

2.210 inches

Movement Type:

Moving iron vane

Background Color:

White single indicator single range

Pointer Color:

Black single indicator single range

Mounting Facility Type And Quantity:

4 unthreaded hole

Scale Graduation Type:

Linear single indicator single range

## NSN 6625-00-495-9833

Ammeter - Page 2 of 2



Measurement Range: +0.0/+20.0 amperes, ac single indicator single range **Movement Suspension Method:** Jewel pivot base **Circuit Attachment Method And Quantity:** 2 solder stud Material: Plastic **Nuclear Hardness Critical Feature:** Nonhardened Style Designator: Round flush mtg **Fsc Application Data:** Test set, electronic equipment Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A310a0