## NSN 6625-00-519-1640

Ammeter - Page 1 of 2

Dc

Overall Length: 2.850 inches

0.125 inches

**Mounting Hole Diameter:** 

**Circuit Current For Which Designed:** 



View Online at https://aerobasegroup.com/nsn/6625-00-519-1640

Scale Division Quantity:
20 single indicator single range
Overall Diameter:
2.695 inches
Mounting Bolt Circle Diameter:
2.240 inches
Furnished Items And Quantity:
Nut 7; washer 5
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Sensitivity Rating:
2.0 milliamperes
Dial Scale Marking Color:
White single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
1.606 inches
Meter Body Diameter Behind Mounting Flange:
2.210 inches
2.2.10 1101100
Movement Type:
Movement Type:
Movement Type:  Moving coil, permanent magnet
Movement Type:  Moving coil, permanent magnet  Background Color:
Movement Type:  Moving coil, permanent magnet  Background Color:  Black single indicator single range
Movement Type:  Moving coil, permanent magnet  Background Color:  Black single indicator single range  Pointer Color:
Movement Type:  Moving coil, permanent magnet  Background Color:  Black single indicator single range  Pointer Color:  White single indicator single range
Movement Type:  Moving coil, permanent magnet  Background Color:  Black single indicator single range  Pointer Color:  White single indicator single range  Power Source:
Movement Type:  Moving coil, permanent magnet  Background Color:  Black single indicator single range  Pointer Color:  White single indicator single range  Power Source:  External
Movement Type:  Moving coil, permanent magnet  Background Color:  Black single indicator single range  Pointer Color:  White single indicator single range  Power Source:  External  Mounting Facility Type And Quantity:

## NSN 6625-00-519-1640

Ammeter - Page 2 of 2



Measurement Range:
+0.0/+200.0 milliamperes, dc single indicator single range
Features Provided:
External shunting and zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 threaded stud
Material:
Plastic
Nuclear Hardness Critical Feature:
Nonhardened
Style Designator:
Round flush mtg
Fsc Application Data:
Electrical, electronic properties measuring and test instruments
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0