

View Online at <https://aerobasegroup.com/nsn/6625-00-519-2165>

Circuit Current For Which Designed:

Dc

Overall Length:

1.969 inches

Mounting Hole Diameter:

Between 0.123 inches and 0.127 inches

Scale Division Quantity:

40 single indicator single range

Overall Diameter:

2.692 inches

Mounting Bolt Circle Diameter:

Between 2.430 inches and 2.442 inches

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Three hole/stud bolt circle

Sensitivity Rating:

2000.0 millivolts

Dial Scale Marking Color:

Black single indicator single range

Accuracy In Percent:

-2.0/+2.0 at full scale single indicator single range

Meter Depth Behind Mounting Flange:

1.594 inches

Meter Body Diameter Behind Mounting Flange:

2.190 inches

Movement Type:

Moving coil, permanent magnet

Background Color:

White single indicator single range

Pointer Color:

Black single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

3 unthreaded hole

Scale Graduation Type:

Linear single indicator single range

Measurement Range:

-2.0/+2.0 milliamps single indicator single range

Features Provided:

Zero adjuster

Movement Suspension Method:

Jewel pivot base

Circuit Attachment Method And Quantity:

2 threaded stud

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Round flush mtg

Supplementary Features:

Internal resistance 100 ohms

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A310a0