## NSN 6625-00-519-2351

Signal Generator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-519-2351

| Overall | Length: |
|---------|---------|
| Overail | Lengui. |

17.312 inches

**Overall Height:** 

14.875 inches

#### **Overall Width:**

11.250 inches

**Current Type:** 

Ac

#### Frequency Rating:

Between 50.0 hertz and 60.0 hertz

#### Case Material:

Aluminum

#### **Case Surface Treatment:**

Painted

#### Frequency Range Rating:

+50.0/+400.0 megahertz

#### Accessory Component Quantity:

1 and 1 and 3 and 1 and 1

#### **End Application:**

Type no. An/urm-70

#### Accessory Controlling Agency:

Measurements corp; measurements corp; c.G.S laboratories inc; mil spec

#### Accessory Identifying Number:

H4404 part no. And h4405 part no. And h4481 part no. And 65ba5 type no. And tf1a03nb type no.

#### Output Impedance Rating:

50.0 ohms

#### Voltage Rating:

115.0 volts

#### **Frequency Band Quantity:**

3

#### Modulation Type:

Fm

#### Accessory Component Name:

Attenuator, subassembly; attenuator, subassembly; attenuator, subassembly; transformer, audio freq; transformer, power, step-up and step down

#### **Calibration Accuracy Rating:**

Porm 1.0 pct

#### **Crystal Controlled Feature:**

Not provided

#### **Calibrated Signal Output Range:**

0.1 to 100000 uv

#### Signal Output Constancy:

Porm 2 db

# NSN 6625-00-519-2351

Signal Generator - Page 2 of 2



**Modulator Location:** 

External

**Modulated Frequency Rating:** 

160.0 hertz and 200.0 hertz

## Modulation Degree:

Between 0.5 percent and 0.5 percent

Phase:

Single

## **Special Features:**

Inductance-capacitance tuned oscillator

Shelf Life:

N/a

## Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

Fiig:

T320-j

## Mil-std (military Standard):

spec.