NSN 6625-00-538-9548

Voltmeter - Page 1 of 2

Mounting Hole Diameter:

0.125 inches

Style Designator: Round flush mtg

Circuit Current For Which Designed:



View Online at https://aerobasegroup.com/nsn/6625-00-538-9548

Scale Division Quantity:						
25 single indicator single range						
Overall Diameter:						
2.695 inches						
Mounting Bolt Circle Diameter:						
2.440 inches						
Installation Design:						
Panel						
Mounting Arrangement Style:						
Three hole/stud bolt circle						
Sensitivity Rating:						
1000.0 ohms per volt						
Dial Scale Marking Color:						
Black single indicator single range						
Accuracy In Percent:						
-2.0/+2.0 at full scale single indicator all ranges						
Meter Depth Behind Mounting Flange:						
1.500 inches						
Meter Body Diameter Behind Mounting Flange:						
Meter Body Diameter Behind Mounting Flange: 2.187 inches						
2.187 inches						
2.187 inches Movement Type:						
2.187 inches Movement Type: Moving coil, permanent magnet						
2.187 inches Movement Type: Moving coil, permanent magnet Background Color:						
2.187 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range						
2.187 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Mounting Facility Type And Quantity:						
2.187 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole						
2.187 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range:						
2.187 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range: +0.0/+50.0 percent modulation single indicator single range						
2.187 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range: +0.0/+50.0 percent modulation single indicator single range Movement Suspension Method:						
2.187 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range: +0.0/+50.0 percent modulation single indicator single range Movement Suspension Method: Jewel pivot base						
2.187 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range: +0.0/+50.0 percent modulation single indicator single range Movement Suspension Method: Jewel pivot base Circuit Attachment Method And Quantity:						
2.187 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range: +0.0/+50.0 percent modulation single indicator single range Movement Suspension Method: Jewel pivot base Circuit Attachment Method And Quantity: 2 solder lug						
2.187 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range: +0.0/+50.0 percent modulation single indicator single range Movement Suspension Method: Jewel pivot base Circuit Attachment Method And Quantity: 2 solder lug Special Features:						
2.187 inches Movement Type: Moving coil, permanent magnet Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range: +0.0/+50.0 percent modulation single indicator single range Movement Suspension Method: Jewel pivot base Circuit Attachment Method And Quantity: 2 solder lug Special Features: Hermetically sealed, 1 percent accuracy at 28 volts						

NSN 6625-00-538-9548

Voltmeter - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A310a0