## NSN 6625-00-539-9273

Oscilloscope - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-539-9273

Overall Length:
26.000 inches
Overall Height:
16.250 inches
Overall Width:
11.375 inches
Current Type:
Ac
Frequency Rating:
Between 0.06 kilohertz and 1.20 kilohertz
Voltage Rating:
115.0 volts
Beam Quantity:
1
Screen Size:
5 in.
Sweep Circuits:
Included
Generator Driven Feature:
Not included
Sweep Circuit Type:
Any acceptable
Trigger Sweep Voltage Amplitude Rating:
100.0 volts
Trigger Sweep Polarity Switch:
Included
Trigger Sweep Marker Intervals:
10 and 50 usec
Expanded Sweep:
Not provided
Amplifier Deflection Sensitivity Provision:
Provided
Vertical Deflection Sensitivity Voltage Rating:
121.0 millivolts rms per inch
Input Intensity Modulation Feature:
Not provided
Plate Direct Connection Deflection Sensitivity Provision:
Provided
Direct Connection Vertical Deflection Sensitivity Voltage Rating:
8.3 volts cw outside diameter and 12.0 volts peak outside diameter
Frequency Response Rating:

Provided

## NSN 6625-00-539-9273

Oscilloscope - Page 2 of 2



Y-axis Frequency Response Rating:
Between 20.0 hertz and 13000000.0 hertz
Z-axis Frequency Response Rating:
Between 20.0 hertz and 1000000.0 hertz
Amplifier Input Impedance Rating Provision:
Provided
Y-axis Input Impedance Rating:
1.0 megohms
Z-axis Input Impedance Rating:
2.2 megohms
Calibrated Screen Scale:
Not included
Trace Storage Tube:
Not included
Camera Recording Device Accommodation:
Not provided
Phase:
Single
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

T320-g