## NSN 6625-00-539-9638

Instrument Shunt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-539-9638
Mounting Provision Quantity:
2
Overall Length:
Between 1.970 inches and 2.030 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
Between 0.845 inches and 0.905 inches
Overall Height:
Between 1.658 inches and 1.718 inches
Overall Width:
Between 1.220 inches and 1.280 inches
Unthreaded Mounting Hole Diameter:
Between 0.190 inches and 0.220 inches
Furnished Items And Quantity:
Nut 4; lockwasher 4; screw 2
Usage Design:
External
Accuracy In Percent:
-0.25/+0.25 all ranges
Element Material:
Any acceptable
Mounting Method:
Unthreaded hole
Cubic Measure:
4.464 cubic inches
Terminal Location:
One side and top
Voltage Drop In Millivolts:
50.0
Current Rating And Type:
50.0 amperes dc
Criticality Code Justification:
Feat
Special Features:
Weapon system essential
Test Data Document:
58536-a-a-55524 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:

**Specification Or Standard:** 

58536-a-a-55524/1 government specification

2 threaded stud and 2 screw

**Specification Data:** 

Msa500 type

## NSN 6625-00-539-9638

Instrument Shunt - Page 2 of 2



Fsc Application Data	Fsc	Ap	plic	atio	n D	ata
----------------------	-----	----	------	------	-----	-----

Test set, elect. Equip.

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A33500