NSN 6625-00-542-7132

Pulse Generator - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/6625-00-542-7132 **Overall Length:** 19.000 inches **Overall Height:** 10.469 inches **Overall Width:** 15.313 inches **Environmental Protection:** Fungus proof and moisture proof **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** Not rated **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Identification Designator:** Sg69appm1 **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Encased **Operating Control Method:** Manual **Installation Design:** Rack and top of cabinet/counter and transportable **Control Type:** Local **Circuit Construction Type:** Electron tube Frequency Per Channel: Not rated **Attenuation In Decibels:** 50.0 **Average Power Rating Per Channel:** 380.0 watts input

Signal Voltage Rating Per Channel: Not rated

Overall Gain:

Not rated

NSN 6625-00-542-7132

Pulse Generator - Page 2 of 3



Impedance Rating Per Channel:
50.000 ohms output channel
Pulse Duration Per Channel:
10.000 microseconds output channel
Pulse Rise Time Per Channel:
0.020 microseconds output channel
Pulse Decay Time Per Channel:
0.020 microseconds output channel
Polarity Per Channel:
Positive output channel
Pulse Repetition Rate Per Channel:
50.000 pulses per second output channel
Pulse Peak Amplitude Per Channel:
50.000 volts output channel
Signal Data Type Per Channel:
Output channel pulse
Calibrated Tolerance In Percent:
-10.0 to 10.0
Output Wave Shape:
Rectangular
Indicator Device Type And Quantity:
1 cathode ray tube
Maximum Continuous Operating Time In Hours:
Not rated
Connection Type And Location:
Integral cable w/power plug rear
Operating Ac Frequency In Hertz:
60.0 single voltage
Calibration Function:
Pulse repetition
Connection Contact Type And Quantity:
3 integral cable w/power plug external
External Ac Operating Voltage In Volts:
230.0 single voltage
Phase:
Single
Fsc Application Data:
Pulse test, except especially designed
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

NSN 6625-00-542-7132

Pulse Generator - Page 3 of 3



Fiig:

A32200