

View Online at <https://aerobasegroup.com/nsn/6625-00-542-7132>

**Overall Length:**

19.000 inches

**Overall Height:**

10.469 inches

**Overall Width:**

15.313 inches

**Environmental Protection:**

Fungus proof and moisture proof

**Vibration Resistance Range In Hertz:**

Not rated

**Shock Resistance Rating In Gravitational Units:**

Not rated

**Operating Temperature Range:**

Not rated

**Average Life Measurement:**

Not rated

**Basic Shape Style:**

Rectangular or square

**Identification Designator:**

Sg69appm1

**Maximum Operating Altitude Rating:**

Not rated

**Inclosure Type:**

Encased

**Operating Control Method:**

Manual

**Installation Design:**

Rack and top of cabinet/counter and transportable

**Control Type:**

Local

**Circuit Construction Type:**

Electron tube

**Frequency Per Channel:**

Not rated

**Attenuation In Decibels:**

50.0

**Average Power Rating Per Channel:**

380.0 watts input

**Signal Voltage Rating Per Channel:**

Not rated

**Overall Gain:**

Not rated

**Impedance Rating Per Channel:**

50.000 ohms output channel

**Pulse Duration Per Channel:**

10.000 microseconds output channel

**Pulse Rise Time Per Channel:**

0.020 microseconds output channel

**Pulse Decay Time Per Channel:**

0.020 microseconds output channel

**Polarity Per Channel:**

Positive output channel

**Pulse Repetition Rate Per Channel:**

50.000 pulses per second output channel

**Pulse Peak Amplitude Per Channel:**

50.000 volts output channel

**Signal Data Type Per Channel:**

Output channel pulse

**Calibrated Tolerance In Percent:**

-10.0 to 10.0

**Output Wave Shape:**

Rectangular

**Indicator Device Type And Quantity:**

1 cathode ray tube

**Maximum Continuous Operating Time In Hours:**

Not rated

**Connection Type And Location:**

Integral cable w/power plug rear

**Operating Ac Frequency In Hertz:**

60.0 single voltage

**Calibration Function:**

Pulse repetition

**Connection Contact Type And Quantity:**

3 integral cable w/power plug external

**External Ac Operating Voltage In Volts:**

230.0 single voltage

**Phase:**

Single

**Fsc Application Data:**

Pulse test, except especially designed

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A32200