## NSN 6625-00-553-0329

Multiple Scale Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-553-0329

Circuit Current For Which Designed:
Dc
Dielectric Withstanding Voltage In Volts:
2600.0
Overall Length:
1.526 inches
Overall Height:
5.580 inches
Overall Width:
4.416 inches
Scale Division Quantity:
40 single indicator 1st range
Mounting Stud Length:
1.500 inches
Environmental Protection:
Airtight and dust resistant and fungus resistant and heat resistant and humidity resistant and shock resistant and vibration resistant and
water resistant
Distance Between Mounting Facility Centers:
3.336 inches
Furnished Items And Quantity:
Nut 4; lockwasher 4; seal 1
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Two hole/stud
Sensitivity Rating:
1.0 milliamperes
Dial Scale Marking Color:
Black single indicator all ranges
Accuracy In Percent:
-2.0 to 2.0 at full scale single indicator all ranges
Movement Type:
Moving coil, permanent magnet
Background Color:
White single indicator all ranges
Pointer Color:
Black single indicator all ranges
Power Source:
External

2 threaded stud

**Mounting Facility Type And Quantity:** 

## NSN 6625-00-553-0329

Multiple Scale Meter - Page 2 of 2



Scale Graduation Type:
Nonlinear single indicator 2nd range
Measurement Range:
+0.0 to 40.0 decibels single indicator 1st range
Mounting Stud Diameter:
0.187 inches
Scale Selection Method:
Terminal
Features Provided:
Nonglare glass and zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 threaded stud
Special Features:
Ruggedized
Special Markings:
Front side, left corner, h
Material:
Steel
Nuclear Hardness Critical Feature:
Nonhardened
Surface Treatment:
Paint
Special Test Features:
Complies with mil-m-10304
Style Designator:
Fan shape surface mtg
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A310a0