## NSN 6625-00-553-0976

Voltmeter - Page 1 of 2

Ac

**Overall Length:** 

**Circuit Current For Which Designed:** 



View Online at https://aerobasegroup.com/nsn/6625-00-553-0976

1.750 inches
Overall Diameter:
3.500 inches
Mounting Bolt Circle Diameter:
3.160 inches
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Frequency Response Range:
+25.000/+125.000 hertz
Sensitivity Rating:
15000.0 ohms per volt
Dial Scale Marking Color:
Black single indicator all ranges
Accuracy In Percent:
-0.5/+0.5 at full scale single indicator all ranges
Meter Depth Behind Mounting Flange:
1.500 inches
1.500 inches  Meter Body Diameter Behind Mounting Flange:
Meter Body Diameter Behind Mounting Flange:
Meter Body Diameter Behind Mounting Flange: 2.790 inches
Meter Body Diameter Behind Mounting Flange: 2.790 inches Movement Type:
Meter Body Diameter Behind Mounting Flange: 2.790 inches Movement Type: Moving iron vane
Meter Body Diameter Behind Mounting Flange: 2.790 inches Movement Type: Moving iron vane Background Color:
Meter Body Diameter Behind Mounting Flange: 2.790 inches Movement Type: Moving iron vane Background Color: White single indicator all ranges
Meter Body Diameter Behind Mounting Flange: 2.790 inches  Movement Type:  Moving iron vane  Background Color:  White single indicator all ranges  Mounting Facility Type And Quantity:
Meter Body Diameter Behind Mounting Flange: 2.790 inches Movement Type: Moving iron vane Background Color: White single indicator all ranges Mounting Facility Type And Quantity: 1 flange
Meter Body Diameter Behind Mounting Flange: 2.790 inches  Movement Type: Moving iron vane Background Color: White single indicator all ranges Mounting Facility Type And Quantity: 1 flange Measurement Range:
Meter Body Diameter Behind Mounting Flange: 2.790 inches  Movement Type:  Moving iron vane  Background Color:  White single indicator all ranges  Mounting Facility Type And Quantity: 1 flange  Measurement Range: +0.0/+300.0 volts, ac single indicator 2nd range
Meter Body Diameter Behind Mounting Flange: 2.790 inches  Movement Type:  Moving iron vane  Background Color:  White single indicator all ranges  Mounting Facility Type And Quantity: 1 flange  Measurement Range: +0.0/+300.0 volts, ac single indicator 2nd range  Scale Selection Method:
Meter Body Diameter Behind Mounting Flange: 2.790 inches  Movement Type: Moving iron vane Background Color: White single indicator all ranges Mounting Facility Type And Quantity: 1 flange Measurement Range: +0.0/+300.0 volts, ac single indicator 2nd range Scale Selection Method: Terminal
Meter Body Diameter Behind Mounting Flange: 2.790 inches  Movement Type: Moving iron vane  Background Color: White single indicator all ranges  Mounting Facility Type And Quantity: 1 flange  Measurement Range: +0.0/+300.0 volts, ac single indicator 2nd range  Scale Selection Method: Terminal Circuit Attachment Method And Quantity:
Meter Body Diameter Behind Mounting Flange: 2.790 inches  Movement Type: Moving iron vane  Background Color: White single indicator all ranges  Mounting Facility Type And Quantity: 1 flange  Measurement Range: +0.0/+300.0 volts, ac single indicator 2nd range  Scale Selection Method: Terminal  Circuit Attachment Method And Quantity: 2 binding post
Meter Body Diameter Behind Mounting Flange: 2.790 inches  Movement Type: Moving iron vane Background Color: White single indicator all ranges Mounting Facility Type And Quantity: 1 flange Measurement Range: +0.0/+300.0 volts, ac single indicator 2nd range Scale Selection Method: Terminal Circuit Attachment Method And Quantity: 2 binding post Special Features:

## NSN 6625-00-553-0976

Voltmeter - Page 2 of 2



Sty	_	п	201	ia	n	24	_	
-Oιy	ı	u	<b>'C</b> 3	ıy	"	aı	·	Ή.

Round flush mtg

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0