

View Online at <https://aerobasegroup.com/nsn/6625-00-553-7696>

Overall Length:

14.000 inches

Overall Height:

9.000 inches

Overall Width:

6.000 inches

Current Type:

Ac

Frequency Rating:

Between 0.05 kilohertz and 1.00 kilohertz

Accessory Components And Quantity:

2 coaxial test leads, one 6 in. Lg, one 36 in. Lg; 1 ground lead 36 in. Lg; 1 cross rule celluloid screen

Voltage Rating:

Between 105.0 volts and 125.0 volts

Beam Quantity:

1

Screen Size:

3.000 in.

Sweep Circuits:

Included

Generator Driven Feature:

Not included

Sweep Frequency Range:

+3.000/+50000.000 hertz

Amplifier Deflection Sensitivity Provision:

Provided

Input Intensity Modulation Feature:

Not provided

Frequency Response Rating:

Provided

X-axis Frequency Response Rating:

Between 0.0 megahertz and 2.0 megahertz

Y-axis Frequency Response Rating:

Between 0.0 kilohertz and 500.0 kilohertz

Z-axis Frequency Response Rating:

Between 0.01 kilohertz and 500.00 kilohertz

Amplifier Input Impedance Rating Provision:

Provided

X-axis Input Impedance Rating:

1.5 megohms and 2.0 megohms

Y-axis Input Impedance Rating:

1.5 megohms and 2.0 megohms

Z-axis Input Impedance Rating:

1.0 megohms

Calibrated Screen Scale:

Not included

Trace Storage Tube:

Not included

Camera Recording Device Accommodation:

Not provided

Phase:

Single

Specification Or Standard:

Os-8b/u type

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T320-g