

View Online at <https://aerobasegroup.com/nsn/6625-00-557-0523>

**Overall Length:**

14.000 inches

**Overall Height:**

10.500 inches

**Overall Width:**

11.000 inches

**Current Type:**

Ac

**Frequency Rating:**

Between 0.05 kilohertz and 1.00 kilohertz

**Case Material:**

Aluminum

**Case Surface Treatment:**

Enameled

**Frequency Range Rating:**

+4.000/+405.000 megahertz

**Accessory Component Quantity:**

1 and 2 and 1 and 1 and 1 and 1

**Accessory Controlling Agency:**

Jcens

**Accessory Identifying Number:**

Pp 1215/urm-26b type no. And cg409a/u type no. And cw1932/u type no. And cn315/urm-26b type no. And cn316-urm-26b type no. And cu439/rum-26b type no.

**Internal Battery Accommodation:**

Not included

**Output Impedance Rating:**

50.0 ohms

**Voltage Rating:**

115.0 volts

**Frequency Band Quantity:**

6

**Modulation Type:**

Am

**Accessory Component Name:**

Power supply; cord; cable assembly, power, elec; attenuator; network

**Calibration Accuracy Rating:**

Porm 0.5 percent accuracy of calibration

**Crystal Controlled Feature:**

Not provided

**Calibrated Signal Output Range:**

0.1 to 100000 v calibrated output

**Signal Output Constancy:**

Porm 10 percent maximum variation from 4 to 100 mc, porm 20 percent maximum variation from 100 mc to 405 mc

**Modulator Location:**

Internal

**Modulated Frequency Rating:**

Between 400.0 hertz and 1000.0 hertz

**Modulation Degree:**

5.0 percent

**Phase:**

Single

**Functional Classification:**

Bb-1.1

**Entry Date:**

91-02-12

**Precious Material:**

Silver

**Specification Or Standard:**

An/urm-26b type

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

T320-j