NSN 6625-00-557-0523

Signal Generator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-557-0523

Overall Length:	
14.000 inches	
Overall Height:	
10.500 inches	
Overall Width:	
11.000 inches	
Current Type:	
Ac	
Frequency Rating:	
Between 0.05 kilohertz and 1.00 kilohertz	
Case Material:	
Aluminum	
Case Surface Treatment:	
Enameled	
Frequency Range Rating:	
+4.000/+405.000 megahertz	
Accessory Component Quantity:	
1 and 2 and 1 and 1 and 1	
Accessory Controlling Agency:	
Jcens	
Accessory Identifying Number:	
Pp 1215/urm-26b type no. And cg409a/u type no. And cw1932/u type no. And cn315/urm-26b type no. And cn316-urm-26b type no. And	
cu439/rum-26b type no.	
Internal Battery Accommodation:	
Not included	
Output Impedance Rating:	
50.0 ohms	
Voltage Rating:	
115.0 volts	
Frequency Band Quantity:	
6	
Modulation Type:	
Am	
Accessory Component Name:	
Power supply; cord; cable assembly, power, elec; attenuator; network	
Calibration Accuracy Rating:	
Porm 0.5 percent accuracy of calibration	
Crystal Controlled Feature:	
Not provided	
Calibrated Signal Output Range:	

Porm 10 percent maximum variation from 4 to 100 mc, porm 20 percent maximum variation from 100 mc to 405 mc

0.1 to 100000 v calibrated output

Signal Output Constancy:

NSN 6625-00-557-0523 Signal Generator - Page 2 of 2



Modulator Location:
Internal
Modulated Frequency Rating:
Between 400.0 hertz and 1000.0 hertz
Modulation Degree:
5.0 percent
Phase:
Single
Functional Classification:
Bb-1.1
Entry Date:
91-02-12
Precious Material:
Silver
Specification Or Standard:
An/urm-26b type
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
Yes - demil/mli
Fiig:
T320-j