NSN 6625-00-578-5212

Ammeter - Page 1 of 2

Dc

Overall Length: 1.968 inches

Scale Division Quantity:
4 single indicator single range

Circuit Current For Which Designed:



View Online at https://aerobasegroup.com/nsn/6625-00-578-5212

| Overall Diameter: |
|---|
| 2.188 inches |
| Environmental Protection: |
| Dust tight and waterproof |
| Furnished Items And Quantity: |
| Term. Hdw 2 |
| Indicator Type: |
| Dial w/pointer |
| Installation Design: |
| Panel |
| Dial Scale Marking Color: |
| White single indicator single range |
| Accuracy In Percent: |
| -10.0/+10.0 at full scale single indicator single range |
| Meter Depth Behind Mounting Flange: |
| 0.688 inches |
| Meter Body Diameter Behind Mounting Flange: |
| 2.031 inches |
| Movement Type: |
| |
| Moving iron vane |
| |
| Moving iron vane |
| Moving iron vane Background Color: |
| Moving iron vane Background Color: Black single indicator single range |
| Moving iron vane Background Color: Black single indicator single range Pointer Color: |
| Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range |
| Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: |
| Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External |
| Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External Mounting Facility Type And Quantity: |
| Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External Mounting Facility Type And Quantity: 1 clamp |
| Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External Mounting Facility Type And Quantity: 1 clamp Scale Graduation Type: |
| Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External Mounting Facility Type And Quantity: 1 clamp Scale Graduation Type: Linear single indicator single range |
| Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External Mounting Facility Type And Quantity: 1 clamp Scale Graduation Type: Linear single indicator single range Measurement Range: |
| Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External Mounting Facility Type And Quantity: 1 clamp Scale Graduation Type: Linear single indicator single range Measurement Range: -60.0/+60.0 amperes single indicator single range |
| Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External Mounting Facility Type And Quantity: 1 clamp Scale Graduation Type: Linear single indicator single range Measurement Range: -60.0/+60.0 amperes single indicator single range Scale Selection Method: |

NSN 6625-00-578-5212

Ammeter - Page 2 of 2



| Circuit Attachment Method And Quantity: |
|---|
| 2 threaded stud |
| Special Features: |
| Term. Serve as mtg studs for clamp |
| Nuclear Hardness Critical Feature: |
| Nonhardened |
| Style Designator: |
| Round flush mtg |
| Fsc Application Data: |
| Test set, elect. Equip. |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

No Fiig: A310a0