## NSN 6625-00-578-5689

Arbitrary Scale Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-578-5689

Circuit Current For Which Designed:
Dc
Overall Length:
1.630 inches
Overall Diameter:
3.500 inches
Mounting Bolt Circle Diameter:
3.160 inches
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Sensitivity Rating:
200.0 microamperes
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0 to 2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
1.380 inches
Meter Body Diameter Behind Mounting Flange:
Meter Body Diameter Behind Mounting Flange: 2.760 inches
2.760 inches
2.760 inches  Movement Type:
2.760 inches  Movement Type:  Moving coil, permanent magnet
2.760 inches  Movement Type:  Moving coil, permanent magnet  Background Color:
2.760 inches  Movement Type:  Moving coil, permanent magnet  Background Color:  White single indicator single range
2.760 inches  Movement Type:  Moving coil, permanent magnet  Background Color:  White single indicator single range  Pointer Color:
2.760 inches  Movement Type:  Moving coil, permanent magnet  Background Color:  White single indicator single range  Pointer Color:  Black single indicator single range
2.760 inches  Movement Type:  Moving coil, permanent magnet  Background Color:  White single indicator single range  Pointer Color:  Black single indicator single range  Mounting Facility Type And Quantity:
2.760 inches  Movement Type:  Moving coil, permanent magnet  Background Color:  White single indicator single range  Pointer Color:  Black single indicator single range  Mounting Facility Type And Quantity:  3 flange
2.760 inches  Movement Type:  Moving coil, permanent magnet  Background Color:  White single indicator single range  Pointer Color:  Black single indicator single range  Mounting Facility Type And Quantity:  3 flange  Features Provided:
2.760 inches  Movement Type:  Moving coil, permanent magnet  Background Color:  White single indicator single range  Pointer Color:  Black single indicator single range  Mounting Facility Type And Quantity:  3 flange  Features Provided:  Zero adjuster
2.760 inches  Movement Type:  Moving coil, permanent magnet  Background Color:  White single indicator single range  Pointer Color:  Black single indicator single range  Mounting Facility Type And Quantity:  3 flange  Features Provided:  Zero adjuster  Movement Suspension Method:
2.760 inches  Movement Type:  Moving coil, permanent magnet  Background Color:  White single indicator single range  Pointer Color:  Black single indicator single range  Mounting Facility Type And Quantity:  3 flange  Features Provided:  Zero adjuster  Movement Suspension Method:  Jewel pivot base
2.760 inches  Movement Type:  Moving coil, permanent magnet  Background Color:  White single indicator single range  Pointer Color:  Black single indicator single range  Mounting Facility Type And Quantity:  3 flange  Features Provided:  Zero adjuster  Movement Suspension Method:  Jewel pivot base  Circuit Attachment Method And Quantity:
2.760 inches  Movement Type:  Moving coil, permanent magnet  Background Color:  White single indicator single range  Pointer Color:  Black single indicator single range  Mounting Facility Type And Quantity:  3 flange  Features Provided:  Zero adjuster  Movement Suspension Method:  Jewel pivot base  Circuit Attachment Method And Quantity:  2 solderless lug
2.760 inches  Movement Type:  Moving coil, permanent magnet  Background Color:  White single indicator single range  Pointer Color:  Black single indicator single range  Mounting Facility Type And Quantity:  3 flange  Features Provided:  Zero adjuster  Movement Suspension Method:  Jewel pivot base  Circuit Attachment Method And Quantity:  2 solderless lug  Special Markings:

## NSN 6625-00-578-5689

Arbitrary Scale Meter - Page 2 of 2



Styl			

Round flush mtg

**Fsc Application Data:** 

Test set, elect. Equip.

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A310a0