NSN 6625-00-585-3796

Null Meter - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6625-00-585-3796

Circuit Current For Which Designed:
Dc
Overall Length:
2.650 inches
Mounting Hole Diameter:
0.125 inches
Scale Division Quantity:
20 single indicator single range
Overall Diameter:
2.695 inches
Mounting Bolt Circle Diameter:
2.440 inches
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Sensitivity Rating:
150.0 millivolts
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
Meter Depth Behind Mounting Flange: 1.600 inches
1.600 inches
1.600 inches Meter Body Diameter Behind Mounting Flange:
1.600 inches Meter Body Diameter Behind Mounting Flange: 2.210 inches
1.600 inches Meter Body Diameter Behind Mounting Flange: 2.210 inches Mounting Facility Type And Quantity:
1.600 inches Meter Body Diameter Behind Mounting Flange: 2.210 inches Mounting Facility Type And Quantity: 3 unthreaded hole
1.600 inches Meter Body Diameter Behind Mounting Flange: 2.210 inches Mounting Facility Type And Quantity: 3 unthreaded hole Features Provided:
1.600 inches Meter Body Diameter Behind Mounting Flange: 2.210 inches Mounting Facility Type And Quantity: 3 unthreaded hole Features Provided: Magnetic shield
1.600 inches Meter Body Diameter Behind Mounting Flange: 2.210 inches Mounting Facility Type And Quantity: 3 unthreaded hole Features Provided: Magnetic shield Circuit Attachment Method And Quantity:
1.600 inches Meter Body Diameter Behind Mounting Flange: 2.210 inches Mounting Facility Type And Quantity: 3 unthreaded hole Features Provided: Magnetic shield Circuit Attachment Method And Quantity: 2 threaded stud
1.600 inches Meter Body Diameter Behind Mounting Flange: 2.210 inches Mounting Facility Type And Quantity: 3 unthreaded hole Features Provided: Magnetic shield Circuit Attachment Method And Quantity: 2 threaded stud Style Designator:
1.600 inches Meter Body Diameter Behind Mounting Flange: 2.210 inches Mounting Facility Type And Quantity: 3 unthreaded hole Features Provided: Magnetic shield Circuit Attachment Method And Quantity: 2 threaded stud Style Designator: Round semi-flush mtg
1.600 inches Meter Body Diameter Behind Mounting Flange: 2.210 inches Mounting Facility Type And Quantity: 3 unthreaded hole Features Provided: Magnetic shield Circuit Attachment Method And Quantity: 2 threaded stud Style Designator: Round semi-flush mtg Shelf Life:
1.600 inches Meter Body Diameter Behind Mounting Flange: 2.210 inches Mounting Facility Type And Quantity: 3 unthreaded hole Features Provided: Magnetic shield Circuit Attachment Method And Quantity: 2 threaded stud Style Designator: Round semi-flush mtg Shelf Life: N/a
1.600 inches Meter Body Diameter Behind Mounting Flange: 2.210 inches Mounting Facility Type And Quantity: 3 unthreaded hole Features Provided: Magnetic shield Circuit Attachment Method And Quantity: 2 threaded stud Style Designator: Round semi-flush mtg Shelf Life: N/a
1.600 inches Meter Body Diameter Behind Mounting Flange: 2.210 inches Mounting Facility Type And Quantity: 3 unthreaded hole Features Provided: Magnetic shield Circuit Attachment Method And Quantity: 2 threaded stud Style Designator: Round semi-flush mtg Shelf Life: N/a Unit Of Measure:
1.600 inches Meter Body Diameter Behind Mounting Flange: 2.210 inches Mounting Facility Type And Quantity: 3 unthreaded hole Features Provided: Magnetic shield Circuit Attachment Method And Quantity: 2 threaded stud Style Designator: Round semi-flush mtg Shelf Life: N/a Unit Of Measure: Demilitarization: