

View Online at <https://aerobasegroup.com/nsn/6625-00-585-4800>

**Circuit Current For Which Designed:**

Ac and dc

**Overall Length:**

2.750 inches

**Mounting Hole Diameter:**

0.128 inches

**Scale Division Quantity:**

32 single indicator all ranges

**Overall Diameter:**

2.675 inches

**Mounting Bolt Circle Diameter:**

2.440 inches

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Three hole/stud bolt circle

**Dial Scale Marking Color:**

Black single indicator all ranges

**Accuracy In Percent:**

-2.0 to 2.0 at full scale single indicator all ranges

**Meter Depth Behind Mounting Flange:**

1.980 inches

**Meter Body Diameter Behind Mounting Flange:**

2.180 inches

**Movement Type:**

Moving coil, permanent magnet

**Background Color:**

White single indicator all ranges

**Pointer Color:**

Black single indicator all ranges

**Power Source:**

External

**Mounting Facility Type And Quantity:**

3 unthreaded hole

**Scale Graduation Type:**

Linear single indicator all ranges

**Measurement Range:**

+0.0 to 32.0 volts, dc single indicator 3rd range

**Features Provided:**

Magnetic shield

**Movement Suspension Method:**

Jewel pivot base

**Circuit Attachment Method And Quantity:**

2 binding post

**Special Features:**

Noneglare glass, self-contained selenium rectifier for 100 cycle operation

**Special Markings:**

Red line at 21 v dc

**Nuclear Hardness Critical Feature:**

Nonhardened

**Style Designator:**

Round flush mtg

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A310a0