

View Online at <https://aerobasegroup.com/nsn/6625-00-585-5665>

Overall Length:

9.750 inches

Overall Height:

13.500 inches

Current Type:

Ac

Frequency Rating:

Between 50.0 hertz and 60.0 hertz

Accessory Components And Quantity:

1 ea p410 attenuator probe, 2 ea a510 binding post adapters, 1 ea green filter (378-514), 1 ea instruction manual

Voltage Rating:

Between 105.0 volts and 250.0 volts

Beam Quantity:

1

Screen Size:

5 in.

Sweep Circuits:

Included

Generator Driven Feature:

Not included

Single Trigger Sweep Duration:

Between 0.2 microseconds and 2000000.0 microseconds

Trigger Sweep Voltage Amplitude Rating:

100.0 volts

Trigger Sweep Polarity Switch:

Included

Expanded Sweep:

Not provided

Amplifier Deflection Sensitivity Provision:

Provided

Vertical Deflection Sensitivity Voltage Rating:

0.05 volts rms per centimeter and 20.00 volts rms per centimeter

Horizontal Deflection Sensitivity Voltage Rating:

1.4 volts any acceptable minor

Input Intensity Modulation Feature:

Not provided

Plate Direct Connection Deflection Sensitivity Provision:

Not provided

Frequency Response Rating:

Provided

X-axis Frequency Response Rating:

500.0 kilohertz

Y-axis Frequency Response Rating:

150.0 megahertz

Amplifier Input Impedance Rating Provision:

Provided

X-axis Input Impedance Rating:

1.0 megohms

Y-axis Input Impedance Rating:

1.0 megohms

Calibrated Screen Scale:

Not included

Trace Storage Tube:

Not included

Camera Recording Device Accommodation:

Not provided

Phase:

Single

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T320-g