NSN 6625-00-589-7084

Null Meter - Page 1 of 2

Dc

Circuit Current For Which Designed:

Mounting Facility Type And Quantity:

4 screw and 4 unthreaded hole



View Online at https://aerobasegroup.com/nsn/6625-00-589-7084

Overall Length:
4.338 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.874 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.874 inches
Overall Height:
2.369 inches
Overall Width:
2.369 inches
Mounting Hole Diameter:
0.164 inches
Scale Division Quantity:
32 single indicator single range
Furnished Items And Quantity:
Pressure connector 1
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Dial Scale Marking Color:
White single indicator single range
Accuracy In Percent:
-2.0 to 2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
2.628 inches
Meter Body Diameter Behind Mounting Flange:
2.243 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
Black single indicator single range
Pointer Color:
White single indicator single range
Scale Marking:
0; 2; 4; 6; 8; 10; 12; 14; 16; 14; 12; 10; 8; 6; 4; 2; gm-om

NSN 6625-00-589-7084

Null Meter - Page 2 of 2



Scale Graduation Type:
Linear single indicator single range
Features Provided:
Zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
5 solder lug
Material:
Steel
Nuclear Hardness Critical Feature:
Nonhardened
Surface Treatment:
Enamel lusterless
Style Designator:
Rectangular flush mtg
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A310a0