

View Online at <https://aerobasegroup.com/nsn/6625-00-593-7774>

**Circuit Current For Which Designed:**

Ac

**Dielectric Withstanding Voltage In Volts:**

2000.0

**Overall Length:**

2.890 inches

**Mounting Hole Diameter:**

0.150 inches

**Scale Division Quantity:**

20 single indicator single range

**Overall Diameter:**

Between 3.490 inches and 3.510 inches

**Environmental Protection:**

Fungus resistant and humidity resistant and shock resistant and vibration resistant

**Mounting Bolt Circle Diameter:**

3.160 inches

**Furnished Items And Quantity:**

Nut 3; washer 3

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Three hole/stud bolt circle

**Dial Scale Marking Color:**

White single indicator single range

**Accuracy In Percent:**

-2.0/+2.0 at full scale single indicator single range

**Unable To Decode:**

Unable to decode or unable to decode

**Meter Depth Behind Mounting Flange:**

2.510 inches

**Meter Body Diameter Behind Mounting Flange:**

2.800 inches

**Background Color:**

Black single indicator single range

**Pointer Color:**

Green, light single indicator single range and white single indicator single range

**Scale Marking:**

Minutes; 10; 0; 10

**Mounting Facility Type And Quantity:**

3 screw and 3 unthreaded hole

**Scale Graduation Type:**

Linear single indicator single range

**Features Provided:**

Zero adjuster

**Circuit Attachment Method And Quantity:**

4 screw

**Special Features:**

Synchronism indicator

**Material:**

Steel

**Nuclear Hardness Critical Feature:**

Nonhardened

**Surface Treatment:**

Enamel

**Special Test Features:**

Conforms to mil-m-10304

**Style Designator:**

Round flush mtg

**Supplementary Features:**

Pale green luminous pointer tip

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A310a0