NSN 6625-00-643-1523

Voltmeter - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6625-00-643-1523

Circuit Current For Which Designed:
Dc
Overall Length:
2.000 inches
Overall Diameter:
2.695 inches
Mounting Bolt Circle Diameter:
2.440 inches
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.5/+2.5 at full scale single indicator all ranges
Meter Depth Behind Mounting Flange:
1.600 inches
Meter Body Diameter Behind Mounting Flange:
2.210 inches
Movement Type:
Movement Type: Moving iron vane
Moving iron vane
Moving iron vane Background Color:
Moving iron vane Background Color: White single indicator single range
Moving iron vane Background Color: White single indicator single range Measurement Range:
Moving iron vane Background Color: White single indicator single range Measurement Range: +0.0/+30.0 volts, dc single indicator single range
Moving iron vane Background Color: White single indicator single range Measurement Range: +0.0/+30.0 volts, dc single indicator single range Circuit Attachment Method And Quantity:
Moving iron vane Background Color: White single indicator single range Measurement Range: +0.0/+30.0 volts, dc single indicator single range Circuit Attachment Method And Quantity: 2 threaded stud
Moving iron vane Background Color: White single indicator single range Measurement Range: +0.0/+30.0 volts, dc single indicator single range Circuit Attachment Method And Quantity: 2 threaded stud Material:
Moving iron vane Background Color: White single indicator single range Measurement Range: +0.0/+30.0 volts, dc single indicator single range Circuit Attachment Method And Quantity: 2 threaded stud Material: Plastic
Moving iron vane Background Color: White single indicator single range Measurement Range: +0.0/+30.0 volts, dc single indicator single range Circuit Attachment Method And Quantity: 2 threaded stud Material: Plastic Style Designator:
Moving iron vane Background Color: White single indicator single range Measurement Range: +0.0/+30.0 volts, dc single indicator single range Circuit Attachment Method And Quantity: 2 threaded stud Material: Plastic Style Designator: Round flush mtg
Moving iron vane Background Color: White single indicator single range Measurement Range: +0.0/+30.0 volts, dc single indicator single range Circuit Attachment Method And Quantity: 2 threaded stud Material: Plastic Style Designator: Round flush mtg Shelf Life:
Moving iron vane Background Color: White single indicator single range Measurement Range: +0.0/+30.0 volts, dc single indicator single range Circuit Attachment Method And Quantity: 2 threaded stud Material: Plastic Style Designator: Round flush mtg Shelf Life: N/a
Moving iron vane Background Color: White single indicator single range Measurement Range: +0.0/+30.0 volts, dc single indicator single range Circuit Attachment Method And Quantity: 2 threaded stud Material: Plastic Style Designator: Round flush mtg Shelf Life: N/a
Moving iron vane Background Color: White single indicator single range Measurement Range: +0.0/+30.0 volts, dc single indicator single range Circuit Attachment Method And Quantity: 2 threaded stud Material: Plastic Style Designator: Round flush mtg Shelf Life: N/a Unit Of Measure:
Moving iron vane Background Color: White single indicator single range Measurement Range: +0.0/+30.0 volts, dc single indicator single range Circuit Attachment Method And Quantity: 2 threaded stud Material: Plastic Style Designator: Round flush mtg Shelf Life: N/a Unit Of Measure: Demilitarization: