

View Online at <https://aerobasegroup.com/nsn/6625-00-643-2011>

Circuit Current For Which Designed:

Dc

Overall Length:

2.063 inches

Mounting Hole Diameter:

Between 0.120 inches and 0.130 inches

Overall Diameter:

2.750 inches

Environmental Protection:

Shock resistant and vibration resistant

Mounting Bolt Circle Diameter:

2.440 inches

Furnished Items And Quantity:

Nuts 4, washers 4

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Three hole/stud bolt circle

Unable To Decode:

Unable to decode or unable to decode

Meter Depth Behind Mounting Flange:

1.391 inches

Meter Body Diameter Behind Mounting Flange:

2.219 inches

Movement Type:

Moving coil, permanent magnet

Mounting Facility Type And Quantity:

3 unthreaded hole

Features Provided:

Magnetic shield and zero adjuster

Movement Suspension Method:

Jewel pivot base

Circuit Attachment Method And Quantity:

2 solder lug and 2 threaded stud

Special Features:

Poor band from 0 degrees to 35 deg, normal band from 35 degrees to 65 degrees and danger band from 65 to 100 degrees of full scale

Special Markings:

Yellow band marked poor, green phosphorescent band marked normal, red band marked danger

Material:

Steel

Nuclear Hardness Critical Feature:

Nonhardened

Surface Treatment:

Chromate and enamel semigloss

Special Test Features:

Conforms to mil-m-10304

Style Designator:

Round flush mtg

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A310a0