NSN 6625-00-643-3872

Arbitrary Scale Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-643-3872

| Circuit Current For Which Designed: |
|---|
| Dc |
| Dielectric Withstanding Voltage In Volts: |
| 1500.0 |
| Overall Length: |
| 1.310 inches |
| Scale Division Quantity: |
| 5 single indicator single range |
| Overall Diameter: |
| 1.688 inches |
| Environmental Protection: |
| Cold resistant and heat resistant and shock resistant |
| Indicator Type: |
| Dial w/pointer |
| Installation Design: |
| Panel |
| Sensitivity Rating: |
| 100.0 milliamperes |
| Dial Scale Marking Color: |
| Black single indicator single range |
| Accuracy In Percent: |
| -5.0 to 5.0 at full scale single indicator single range |
| Meter Depth Behind Mounting Flange: |
| 0.765 inches |
| Meter Body Diameter Behind Mounting Flange: |
| Between 1.485 inches and 1.500 inches |
| Movement Type: |
| Moving coil, permanent magnet |
| Background Color: |
| White single indicator single range |
| Pointer Color: |
| Black single indicator single range |
| Scale Marking: |
| Six equally spaced lines on scale |
| Mounting Facility Type And Quantity: |
| 1 threaded body and 1 threaded ring |
| Scale Graduation Type: |
| Linear single indicator single range |
| Features Provided: |
| Zero adjuster |
| Movement Suspension Method: |
| |

Jewel pivot base

NSN 6625-00-643-3872

Arbitrary Scale Meter - Page 2 of 2



No Fiig: A310a0