## NSN 6625-00-643-3923

Oscilloscope - Page 1 of 2

Overall Length: 26.500 inches



View Online at https://aerobasegroup.com/nsn/6625-00-643-3923

Overall Height:
14.406 inches
Overall Width:
13.500 inches
Current Type:
Ac
Frequency Rating:
60.0 hertz
End Application:
Type an/urn-3
Accessory Components And Quantity:
1 adapter, 1 probe 6 ft, 1 probe 15 ft
Voltage Rating:
120.0 volts
Beam Quantity:
1
Mounting Method:
Rack
Screen Size:
5 in.
Sweep Circuits:
Included
Generator Driven Feature:
Not included
Sweep Frequency Range:
+25.000/+2500000.000 hertz
Trigger Sweep Voltage Amplitude Rating:
0.5 volts
Trigger Sweep Polarity Switch:
Included
Trigger Sweep Marker Intervals:
1 usec and 10 usec
Expanded Sweep:
Not provided
Amplifier Deflection Sensitivity Provision:
Provided
Vertical Deflection Sensitivity Voltage Rating:
35.0 millivolts rms per inch
Horizontal Deflection Sensitivity Voltage Rating:
5.0 volts any acceptable outside diameter

## NSN 6625-00-643-3923

Oscilloscope - Page 2 of 2



Input Intensity Modulation Feature:
Not provided
Plate Direct Connection Deflection Sensitivity Provision:
Not provided
Frequency Response Rating:
Provided
X-axis Frequency Response Rating:
Between 5.0 hertz and 3000000.0 hertz
Y-axis Frequency Response Rating:
Between 25.0 hertz and 2500000.0 hertz
Amplifier Input Impedance Rating Provision:
Provided
X-axis Input Impedance Rating:
1.0 megohms
Y-axis Input Impedance Rating:
100.0 kilohms
Calibrated Screen Scale:
Not included
Trace Storage Tube:
Not included
Camera Recording Device Accommodation:
Not provided
Phase:
Single
Reference Number Differentiating Characteristics:
W/spares
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T320-g