

View Online at <https://aerobasegroup.com/nsn/6625-00-649-0404>

Circuit Current For Which Designed:

Ac

Overall Length:

1.943 inches

Mounting Hole Diameter:

0.125 inches

Scale Division Quantity:

21 single indicator single range

Overall Diameter:

2.695 inches

Mounting Bolt Circle Diameter:

2.440 inches

Furnished Items And Quantity:

Mounting hardware 6

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Three hole/stud bolt circle

Frequency Response Range:

+1.000/+500.000 hertz

Sensitivity Rating:

900.0 millivolts

Dial Scale Marking Color:

Black single indicator single range

Accuracy In Percent:

-0.05/+0.05 at full scale single indicator single range

Meter Depth Behind Mounting Flange:

1.063 inches

Meter Body Diameter Behind Mounting Flange:

2.150 inches

Movement Type:

Moving iron vane

Background Color:

White single indicator single range

Pointer Color:

Black single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

3 screw and 3 unthreaded hole

Scale Graduation Type:

Linear single indicator single range

Measurement Range:

+0.0/+75.0 milliamperes, ac single indicator single range

Features Provided:

Zero adjuster

Movement Suspension Method:

Taut band

Circuit Attachment Method And Quantity:

2 solder stud

Special Features:

Hermetically sealed

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Round flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

FiiG:

A310a0