

View Online at <https://aerobasegroup.com/nsn/6625-00-649-5193>

Mounting Type:

Portable case

Overall Length:

14.000 inches

Overall Height:

10.500 inches

Overall Width:

11.000 inches

Current Type:

Ac

Frequency Rating:

Between 50.0 hertz and 1600.0 hertz

Case Material:

Aluminum

Case Surface Treatment:

Enamel

Frequency Range Rating:

+0.010/+50.000 megahertz

Accessory Component Quantity:

8

Accessory Controlling Agency:

Trad television cory

Accessory Identifying Number:

Su-85/urm-25d type no. And cn-224/urm-25d type no. And cn-223/urm-25d type no. And mx-1487/urm-25d type no. And cx-1383/u type no. And pp-977/urm-25d type no. And sm-35/urm-25 type no. And cg-409/u type no.

Joint Electronics Type Designation System Item Name:

Rf signal generator set

Joint Electronics Type Designation System Item Type Number:

An/urm-25d

Output Impedance Rating:

Between 53.5 ohms and 500.0 ohms

Voltage Rating:

115.0 volts

Frequency Band Quantity:

8

Modulation Type:

Pulse

Accessory Component Name:

Navy generator signal, attenuator fixed, attenuator fixed, adapter test, test lead power supply, antenna simulator, cord,

Calibration Accuracy Rating:

Form 0.5 percent accuracy of calibration

Crystal Controlled Feature:

Provided

Maximum Signal Output:

0.1 uv to 100000.0 uv

Modulator Location:

External

Modulated Frequency Rating:

400.000 hertz and 1000.0 kilohertz

Modulation Degree:

Between 0.0 percent and 80.0 percent

Phase:

Single

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

T320-j