

View Online at <https://aerobasegroup.com/nsn/6625-00-649-7465>

**Circuit Current For Which Designed:**

Ac

**Overall Length:**

7.000 inches

**Overall Height:**

13.250 inches

**Overall Width:**

16.250 inches

**Frequency Rating:**

Between 50.0 hertz and 70.0 hertz

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Bench

**Power Source:**

External

**Scale Selection Method:**

Switch

**Operating Voltage Rating In Volts:**

Between 105.0 ac and 125.0 ac

**Phase:**

Single

**Special Features:**

Scales: volts mils: 0-3, 12, 0-3 volts (ac only), ohms: 0-10, 000, inf; capacity: mmf 0-1000 inf, mf 0-10 inf; decibels: -20 to +5, -8 to +17, 0 to +25, dc zero-center 0 to +/-6, 0 to +/-1.5; ranges: volts ac 0 to 3, 12, 30, 120, 300, 1200; volts dc 0 to 3, 12, 30, 120, 300, 1200, capacitance 0 to 10, 000 uuf in 2 ranges, 0 to 1, 000 uf in 5 ranges; ohms: 0.1 ohm to 10, 000 ohms in 8 ranges; volts ac peak to peak 0 to 3, 12, 30, 120, 300; inductance 50 mh to 100 henries; steel portable case with non-glare black meter scale; includes ac and dc probe assemblies, test leads

**Functional Description:**

Used for measurement of inductance, capacitance, resistance, current and voltages; ac voltages are measured in terms of rms or peak to peak values

**Style Designator:**

Rectangular surface mtg

**Supplementary Features:**

Manufacturers name: true vacuum tube volt-ohm milliammeter and capacitance meter

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A310a0