NSN 6625-00-668-8030

Ammeter - Page 1 of 2

1.312 inches

1.312 inchesOverall Height:1.750 inchesOverall Width:1.750 inches

Portable

Circuit Current For Which Designed:



View Online at https://aerobasegroup.com/nsn/6625-00-668-8030

Center To Center Distance Between Mounting Facilities Parallel To Length:

Center To Center Distance Between Mounting Facilities Parallel To Width:

| Mounting Hole Diameter: |
|--|
| 0.125 inches |
| Scale Division Quantity: |
| 20 all indicators single range |
| Environmental Protection: |
| Hermetic |
| Furnished Items And Quantity: |
| Lamp, incandescent 1 |
| Installation Design: |
| Panel |
| Mounting Arrangement Style: |
| Four hole/stud rectangular/square |
| Sensitivity Rating: |
| 26.0 millivolts |
| Dial Scale Marking Color: |
| Black all indicators single range |
| Accuracy In Percent: |
| -3.0/+3.0 at full scale all indicators single range |
| Meter Depth Behind Mounting Flange: |
| 0.828 inches |
| Meter Body Diameter Behind Mounting Flange: |
| 1.497 inches |
| Movement Type: |
| Moving coil, permanent magnet |
| Background Color: |
| White all indicators single range |
| Mounting Facility Type And Quantity: |
| 4 unthreaded hole |
| Measurement Range: |
| +0.0/+20.0 milliamperes, dc 2nd indicator single range |
| Features Provided: |

NSN 6625-00-668-8030

Ammeter - Page 2 of 2



Movement Suspension Method: Jewel pivot base Circuit Attachment Method And Quantity: 4 solder lug Special Features: Plastic and metal case Special Markings: Xtal, mag, line Style Designator: Rectangular flush mtg Shelf Life: N/a Unit Of Measure: - Demilitarization:

No Fiig: A310a0